

# Instant MTBF Data Input Sheet – Commercial / Telcordia SR-332

Probabilistic Software, Inc.  
<http://www.e-MTBF.com>

<b>System / Equipment Name:</b>	
<b>Assembly Name:</b>	
<b>Quantity Of This Assembly:</b>	
<b>Parts List Number:</b>	
<b>Environment:</b>	<b>Circle One: GB, GF, GM, AC Or SC</b>
<b>Part Ambient Temperature:</b>	_____ <b>Degrees C. ( If un-known use 40 Degrees C. )</b>
<b>Parts Quality:</b>	<b>Commercial / Telcordia SR-332</b>

Quantity	Description
-----	<b>Capacitors</b>
	Capacitor / Fixed, Paper
	Capacitor / Fixed, Paper/Plastic
	Capacitor / Fixed, Plastic
	Capacitor / Fixed, Mica
	Capacitor / Fixed, Glass
	Capacitor / Fixed, Ceramic
	Capacitor / Fixed, Tantalum, Solid, Hermetic
	Capacitor / Fixed, Tantalum, Solid, Non-Hermetic
	Capacitor / Fixed, Tantalum, Nonsolid
	Capacitor / Fixed, Aluminum, Electrolytic < 400 uF
	Capacitor / Fixed, Aluminum, Electrolytic >= 400 uF
	Capacitor / Fixed, Aluminum, Chassis Mounted < 400 uF
	Capacitor / Fixed, Aluminum, Chassis Mounted 400 uF - 12,000 uF
	Capacitor / Fixed, Aluminum, Chassis Mounted > 12,000 uF
	Capacitor / Fixed, Silicon Chip
	Capacitor / Fixed, MOS or Chip
	Capacitor / Variable, Air, Trimmer
	Capacitor / Variable, Ceramic
	Capacitor / Variable, Piston, Glass
	Capacitor / Variable, Vacuum

-----	<b>Connectors</b>
	Connector / General Purpose, Power, 1 - 5 Pins
	Connector / General Purpose, Power, 6 - 10 Pins
	Connector / General Purpose, Power, 11 - 20 Pins
	Connector / General Purpose, Power, 21 - 50 Pins
	Connector / Coaxial, Electrical
	Connector / Coaxial, Optical, 1 - 2 Pins
	Connector / Coaxial, Optical, 3 - 5 Pins
	Connector / Coaxial, Optical, 6 - 10 Pins
	Connector / Multi-Pin, 1 - 20 Pins
	Connector / Multi-Pin, 21 - 50 Pins
	Connector / Multi-Pin, 51 - 100 Pins
	Connector / Multi-Pin, 100 - 200 Pins
	Connector / Printed Board, Edge, 1 - 20 Pins
	Connector / Printed Board, Edge, 21 - 50 Pins
	Connector / Printed Board, Edge, 51 - 100 Pins
	Connector / Printed Board, Edge, 101 - 200 Pins
	Connector / Ribbon Cable, 1 - 20 Pins
	Connector / Ribbon Cable, 21 - 50 Pins
	Connector / Ribbon Cable, 51 - 100 Pins
	Connector / Ribbon Cable, 101 - 200 Pins
	Connector / IC Socket, 1 - 20 Pins
	Connector / IC Socket, 21 - 50 Pins
	Connector / IC Socket, 51 - 100 Pins
	Connector / IC Socket, 101 - 200 Pins
-----	<b>Diodes</b>
	Diode / Silicon, General Purpose $\leq 20$ Amps.
	Diode / Silicon, General Purpose $> 20$ Amps.
	Diode / Silicon, Microwave Detector
	Diode / Silicon, Microwave Mixer
	Diode / Germanium, General Purpose $< 1$ Amp.
	Diode / Germanium, General Purpose $\geq 1$ and $\leq 20$ Amps.
	Diode / Germanium, General Purpose $> 20$ Amps.
	Diode / Germanium, Microwave Detector

	Diode / Germanium, Microwave Mixer
	Diode / Voltage Regulator <= 1.5 Watts
	Diode / Voltage Regulator > 1.5 Watts
	Diode / Thyristor <= 1 Amp.
	Diode / Thyristor > 1 Amp.
	Diode / Varactor, Step Recovery, Tunnel
	Diode / Varistor, Silicon Carbide
	Diode / Varistor, Metal Oxide
-----	<b>Inductive Devices</b>
	Transformer / Pulse Low Level
	Transformer / Pulse High Level
	Transformer / Audio
	Transformer / Power (> 1 Watt)
	Transformer / Radio Frequency
	Coil / Load Coil
	Coil / Power Filter
	Coil / Radio Frequency, Fixed
	Coil / Radio Frequency, Variable
-----	<b>Integrated Circuits, Analog</b>
	IC / Analog 1 - 32 Transistors (20 Nominal)
	IC / Analog 33 - 90 Transistors (70 Nominal)
	IC / Analog 91 - 170 Transistors (150 Nominal)
	IC / Analog 171 - 260 Transistors (200 Nominal)
	IC / Analog 261 - 360 Transistors (300 Nominal)
	IC / Analog 361 - 470 Transistors (450 Nominal)
	IC / Analog 471 - 590 Transistors (550 Nominal)
	IC / Analog 591 - 720 Transistors (700 Nominal)
	IC / Analog 721 - 860 Transistors (800 Nominal)
-----	<b>Integrated Circuits, Bipolar, Digital</b>
	IC / Bipolar, Digital 1 - 20 Gates (15 Nominal)
	IC / Bipolar, Digital 21 - 50 Gates (40 Nominal)
	IC / Bipolar, Digital 51 - 100 Gates (80 Nominal)
	IC / Bipolar, Digital 101 - 500 Gates (400 Nominal)
	IC / Bipolar, Digital 501 - 1,000 Gates (800 Nominal)

	IC / Bipolar, Digital 1,001 - 2,000 Gates (1,600 Nominal)
	IC / Bipolar, Digital 2,001 - 3,000 Gates (2,500 Nominal)
	IC / Bipolar, Digital 3,001 - 5,000 Gates (4,000 Nominal)
	IC / Bipolar, Digital 5,001 - 7,500 Gates (6,500 Nominal)
	IC / Bipolar, Digital 7,501 - 10,000 Gates (9,000 Nominal)
	IC / Bipolar, Digital 10,001 - 15,000 Gates (13,000 Nominal)
	IC / Bipolar, Digital 15,001 - 20,000 Gates (18,000 Nominal)
	IC / Bipolar, Digital 20,001 - 30,000 Gates (25,000 Nominal)
	IC / Bipolar, Digital 30,001 - 50,000 Gates (40,000 Nominal)
	IC / Bipolar, Digital 50,001 - 100,000 Gates (80,000 Nominal)
-----	<b>Integrated Circuits, NMOS, Digital</b>
	IC / NMOS, Digital 1 - 20 Gates (15 Nominal)
	IC / NMOS, Digital 21 - 50 Gates (40 Nominal)
	IC / NMOS, Digital 51 - 100 Gates (80 Nominal)
	IC / NMOS, Digital 101 - 500 Gates (400 Nominal)
	IC / NMOS, Digital 501 - 1,000 Gates (800 Nominal)
	IC / NMOS, Digital 1,001 - 2,000 Gates (1,600 Nominal)
	IC / NMOS, Digital 2,001 - 3,000 Gates (2,500 Nominal)
	IC / NMOS, Digital 3,001 - 5,000 Gates (4,000 Nominal)
	IC / NMOS, Digital 5,001 - 7,500 Gates (6,500 Nominal)
	IC / NMOS, Digital 7,501 - 10,000 Gates (9,000 Nominal)
	IC / NMOS, Digital 10,001 - 15,000 Gates (13,000 Nominal)
	IC / NMOS, Digital 15,001 - 20,000 Gates (18,000 Nominal)
	IC / NMOS, Digital 20,001 - 30,000 Gates (25,000 Nominal)
	IC / NMOS, Digital 30,001 - 50,000 Gates (40,000 Nominal)
-----	<b>Integrated Circuits, CMOS, Digital</b>
	IC / CMOS, Digital 1 - 20 Gates (15 Nominal)
	IC / CMOS, Digital 21 - 50 Gates (40 Nominal)
	IC / CMOS, Digital 51 - 100 Gates (80 Nominal)
	IC / CMOS, Digital 101 - 500 Gates (400 Nominal)
	IC / CMOS, Digital 501 - 1,000 Gates (800 Nominal)
	IC / CMOS, Digital 1,001 - 2,000 Gates (1,600 Nominal)
	IC / CMOS, Digital 2,001 - 3,000 Gates (2,500 Nominal)
	IC / CMOS, Digital 3,001 - 5,000 Gates (4,000 Nominal)

	IC / CMOS, Digital 5,001 - 7,500 Gates (6,500 Nominal)
	IC / CMOS, Digital 7,501 - 10,000 Gates (9,000 Nominal)
	IC / CMOS, Digital 10,001 - 15,000 Gates (13,000 Nominal)
	IC / CMOS, Digital 15,001 - 20,000 Gates (18,000 Nominal)
	IC / CMOS, Digital 20,001 - 30,000 Gates (25,000 Nominal)
	IC / CMOS, Digital 30,001 - 50,000 Gates (40,000 Nominal)
	IC / CMOS, Digital 50,001 - 100,000 Gates (80,000 Nominal)
	IC / CMOS, Digital 100,001 - 1,000,000 Gates (550,000 Nominal)
	IC / CMOS, Digital 1,000,001 - 10,000,000 Gates (5,500,000 Nominal)
	IC / CMOS, Digital 10,000,001 - 100,000,000 Gates (55,000,000 Nominal)
	IC / CMOS, Digital 100,000,001 - 1,000,000,000 Gates (550,000,000 Nominal)
-----	<b>Integrated Circuits, Bipolar, Static Random Access Memory (SRAM)</b>
	IC / Bipolar, SRAM 1 - 320 Bits (256 Nominal)
	IC / Bipolar, SRAM 321 - 576 Bits (512 Nominal)
	IC / Bipolar, SRAM 577 - 1,120 Bits (1K Nominal)
	IC / Bipolar, SRAM 1,121 - 2,240 Bits (2K Nominal)
	IC / Bipolar, SRAM 2,241 - 5,000 Bits (4K Nominal)
	IC / Bipolar, SRAM 5,001 - 11,000 Bits (8K Nominal)
	IC / Bipolar, SRAM 11,001 - 17,000 Bits (16K Nominal)
	IC / Bipolar, SRAM 17,001 - 38,000 Bits (32K Nominal)
	IC / Bipolar, SRAM 38,001 - 74,000 Bits (64K Nominal)
	IC / Bipolar, SRAM 74,001 - 150,000 Bits (128K Nominal)
	IC / Bipolar, SRAM 150,001 - 300,000 Bits (256K Nominal)
	IC / Bipolar, SRAM 300,001 - 600,000 Bits (512K Nominal)
	IC / Bipolar, SRAM 600,001 - 1,200,000 Bits (1M Nominal)
	IC / Bipolar, SRAM 1,200,001 - 2,400,000 Bits (2M Nominal)
	IC / Bipolar, SRAM 2,400,001 - 4,800,000 Bits (4M Nominal)
	IC / Bipolar, SRAM 4,800,001 - 9,600,000 Bits (8M Nominal)
	IC / Bipolar, SRAM 9,600,001 - 19,200,000 Bits (16M Nominal)
	IC / Bipolar, SRAM 19,200,001 - 38,400,000 Bits (32M Nominal)
	IC / Bipolar, SRAM 38,400,001 - 76,800,000 Bits (64M Nominal)
	IC / Bipolar, SRAM 76,800,001 - 153,600,000 Bits (128M Nominal)
	IC / Bipolar, SRAM 153,600,001 - 307,200,000 Bits (256M Nominal)

-----	<b>Integrated Circuits, NMOS, Static Random Access Memory (SRAM)</b>
	IC / NMOS, SRAM 1 - 320 Bits (256 Nominal)
	IC / NMOS, SRAM 321 - 576 Bits (512 Nominal)
	IC / NMOS, SRAM 577 - 1,120 Bits (1K Nominal)
	IC / NMOS, SRAM 1,121 - 2,240 Bits (2K Nominal)
	IC / NMOS, SRAM 2,241 - 5,000 Bits (4K Nominal)
	IC / NMOS, SRAM 5,001 - 11,000 Bits (8K Nominal)
	IC / NMOS, SRAM 11,001 - 17,000 Bits (16K Nominal)
	IC / NMOS, SRAM 17,001 - 38,000 Bits (32K Nominal)
	IC / NMOS, SRAM 38,001 - 74,000 Bits (64K Nominal)
	IC / NMOS, SRAM 74,001 - 150,000 Bits (128K Nominal)
	IC / NMOS, SRAM 150,001 - 300,000 Bits (256K Nominal)
	IC / NMOS, SRAM 300,001 - 600,000 Bits (512K Nominal)
	IC / NMOS, SRAM 600,001 - 1,200,000 Bits (1M Nominal)
	IC / NMOS, SRAM 1,200,001 - 2,400,000 Bits (2M Nominal)
	IC / NMOS, SRAM 2,400,001 - 4,800,000 Bits (4M Nominal)
	IC / NMOS, SRAM 4,800,001 - 9,600,000 Bits (8M Nominal)
	IC / NMOS, SRAM 9,600,001 - 19,200,000 Bits (16M Nominal)
	IC / NMOS, SRAM 19,200,001 - 38,400,000 Bits (32M Nominal)
	IC / NMOS, SRAM 38,400,001 - 76,800,000 Bits (64M Nominal)
	IC / NMOS, SRAM 76,800,001 - 153,600,000 Bits (128M Nominal)
	IC / NMOS, SRAM 153,600,001 - 307,200,000 Bits (256M Nominal)
-----	<b>Integrated Circuits, CMOS, Static Random Access Memory (SRAM)</b>
	IC / CMOS, SRAM 1 - 320 Bits (256 Nominal)
	IC / CMOS, SRAM 321 - 576 Bits (512 Nominal)
	IC / CMOS, SRAM 577 - 1,120 Bits (1K Nominal)
	IC / CMOS, SRAM 1,121 - 2,240 Bits (2K Nominal)
	IC / CMOS, SRAM 2,241 - 5,000 Bits (4K Nominal)
	IC / CMOS, SRAM 5,001 - 11,000 Bits (8K Nominal)
	IC / CMOS, SRAM 11,001 - 17,000 Bits (16K Nominal)
	IC / CMOS, SRAM 17,001 - 38,000 Bits (32K Nominal)
	IC / CMOS, SRAM 38,001 - 74,000 Bits (64K Nominal)
	IC / CMOS, SRAM 74,001 - 150,000 Bits (128K Nominal)
	IC / CMOS, SRAM 150,001 - 300,000 Bits (256K Nominal)

	IC / CMOS, SRAM 300,001 - 600,000 Bits (512K Nominal)
	IC / CMOS, SRAM 600,001 - 1,200,000 Bits (1M Nominal)
	IC / CMOS, SRAM 1,200,001 - 2,400,000 Bits (2M Nominal)
	IC / CMOS, SRAM 2,400,001 - 4,800,000 Bits (4M Nominal)
	IC / CMOS, SRAM 4,800,001 - 9,600,000 Bits (8M Nominal)
	IC / CMOS, SRAM 9,600,001 - 19,200,000 Bits (16M Nominal)
	IC / CMOS, SRAM 19,200,001 - 38,400,000 Bits (32M Nominal)
	IC / CMOS, SRAM 38,400,001 - 76,800,000 Bits (64M Nominal)
	IC / CMOS, SRAM 76,800,001 - 153,600,000 Bits (128M Nominal)
	IC / CMOS, SRAM 153,600,001 - 307,200,000 Bits (256M Nominal)
<b>-----</b>	<b>Integrated Circuits, NMOS/CMOS, Dynamic Random Access Memory (DRAM)</b>
	IC / NMOS/CMOS, DRAM 1 - 320 Bits (256 Nominal)
	IC / NMOS/CMOS, DRAM 321 - 576 Bits (512 Nominal)
	IC / NMOS/CMOS, DRAM 577 - 1,120 Bits (1K Nominal)
	IC / NMOS/CMOS, DRAM 1,121 - 2,240 Bits (2K Nominal)
	IC / NMOS/CMOS, DRAM 2,241 - 5,000 Bits (4K Nominal)
	IC / NMOS/CMOS, DRAM 5,001 - 11,000 Bits (8K Nominal)
	IC / NMOS/CMOS, DRAM 11,001 - 17,000 Bits (16K Nominal)
	IC / NMOS/CMOS, DRAM 17,001 - 38,000 Bits (32K Nominal)
	IC / NMOS/CMOS, DRAM 38,001 - 74,000 Bits (64K Nominal)
	IC / NMOS/CMOS, DRAM 74,001 - 150,000 Bits (128K Nominal)
	IC / NMOS/CMOS, DRAM 150,001 - 300,000 Bits (256K Nominal)
	IC / NMOS/CMOS, DRAM 300,001 - 600,000 Bits (512K Nominal)
	IC / NMOS/CMOS, DRAM 600,001 - 1,200,000 Bits (1M Nominal)
	IC / NMOS/CMOS, DRAM 1,200,001 - 2,400,000 Bits (2M Nominal)
	IC / NMOS/CMOS, DRAM 2,400,001 - 4,800,000 Bits (4M Nominal)
	IC / NMOS/CMOS, DRAM 4,800,001 - 9,600,000 Bits (8M Nominal)
	IC / NMOS/CMOS, DRAM 9,600,001 - 19,200,000 Bits (16M Nominal)
	IC / NMOS/CMOS, DRAM 19,200,001 - 38,400,000 Bits (32M Nominal)
	IC / NMOS/CMOS, DRAM 38,400,001 - 76,800,000 Bits (64M Nominal)
	IC / NMOS/CMOS, DRAM 76,800,001 - 153,600,000 Bits (128M Nominal)
	IC / NMOS/CMOS, DRAM 153,600,001 - 307,200,000 Bits (256M Nominal)
	IC / NMOS/CMOS, DRAM 307,200,001 - 614,400,000 Bits (512M Nominal)
	IC / NMOS/CMOS, DRAM 614,400,001 - 1,228,800,000 Bits (1024M Nominal)

	IC / NMOS/CMOS, DRAM 1,228,800,001 - 2,457,600,000 Bits (2048M Nominal)
	IC / NMOS/CMOS, DRAM 2,457,600,001 - 4,915,200,000 Bits (4096M Nominal)
-----	<b>Integrated Circuits, Bipolar, Read Only Memory (ROM)</b>
	IC / Bipolar, ROM 1 - 320 Bits (256 Nominal)
	IC / Bipolar, ROM 321 - 576 Bits (512 Nominal)
	IC / Bipolar, ROM 577 - 1,120 Bits (1K Nominal)
	IC / Bipolar, ROM 1,121 - 2,240 Bits (2K Nominal)
	IC / Bipolar, ROM 2,241 - 5,000 Bits (4K Nominal)
	IC / Bipolar, ROM 5,001 - 11,000 Bits (8K Nominal)
	IC / Bipolar, ROM 11,001 - 17,000 Bits (16K Nominal)
	IC / Bipolar, ROM 17,001 - 38,000 Bits (32K Nominal)
	IC / Bipolar, ROM 38,001 - 74,000 Bits (64K Nominal)
	IC / Bipolar, ROM 74,001 - 150,000 Bits (128K Nominal)
	IC / Bipolar, ROM 150,001 - 300,000 Bits (256K Nominal)
	IC / Bipolar, ROM 300,001 - 600,000 Bits (512K Nominal)
	IC / Bipolar, ROM 600,001 - 1,200,000 Bits (1M Nominal)
	IC / Bipolar, ROM 1,200,001 - 2,400,000 Bits (2M Nominal)
	IC / Bipolar, ROM 2,400,001 - 4,800,000 Bits (4M Nominal)
	IC / Bipolar, ROM 4,800,001 - 9,600,000 Bits (8M Nominal)
	IC / Bipolar, ROM 9,600,001 - 19,200,000 Bits (16M Nominal)
-----	<b>Integrated Circuits, NMOS, Read Only Memory (ROM)</b>
	IC / NMOS, ROM 1 - 320 Bits (256 Nominal)
	IC / NMOS, ROM 321 - 576 Bits (512 Nominal)
	IC / NMOS, ROM 577 - 1,120 Bits (1K Nominal)
	IC / NMOS, ROM 1,121 - 2,240 Bits (2K Nominal)
	IC / NMOS, ROM 2,241 - 5,000 Bits (4K Nominal)
	IC / NMOS, ROM 5,001 - 11,000 Bits (8K Nominal)
	IC / NMOS, ROM 11,001 - 17,000 Bits (16K Nominal)
	IC / NMOS, ROM 17,001 - 38,000 Bits (32K Nominal)
	IC / NMOS, ROM 38,001 - 74,000 Bits (64K Nominal)
	IC / NMOS, ROM 74,001 - 150,000 Bits (128K Nominal)
	IC / NMOS, ROM 150,001 - 300,000 Bits (256K Nominal)
	IC / NMOS, ROM 300,001 - 600,000 Bits (512K Nominal)
	IC / NMOS, ROM 600,001 - 1,200,000 Bits (1M Nominal)



	IC / NMOS, ROM 1,200,001 - 2,400,000 Bits (2M Nominal)
	IC / NMOS, ROM 2,400,001 - 4,800,000 Bits (4M Nominal)
	IC / NMOS, ROM 4,800,001 - 9,600,000 Bits (8M Nominal)
	IC / NMOS, ROM 9,600,001 - 19,200,000 Bits (16M Nominal)
-----	<b>Integrated Circuits, CMOS, Read Only Memory (ROM)</b>
	IC / CMOS, ROM 1 - 320 Bits (256 Nominal)
	IC / CMOS, ROM 321 - 576 Bits (512 Nominal)
	IC / CMOS, ROM 577 - 1,120 Bits (1K Nominal)
	IC / CMOS, ROM 1,121 - 2,240 Bits (2K Nominal)
	IC / CMOS, ROM 2,241 - 5,000 Bits (4K Nominal)
	IC / CMOS, ROM 5,001 - 11,000 Bits (8K Nominal)
	IC / CMOS, ROM 11,001 - 17,000 Bits (16K Nominal)
	IC / CMOS, ROM 17,001 - 38,000 Bits (32K Nominal)
	IC / CMOS, ROM 38,001 - 74,000 Bits (64K Nominal)
	IC / CMOS, ROM 74,001 - 150,000 Bits (128K Nominal)
	IC / CMOS, ROM 150,001 - 300,000 Bits (256K Nominal)
	IC / CMOS, ROM 300,001 - 600,000 Bits (512K Nominal)
	IC / CMOS, ROM 600,001 - 1,200,000 Bits (1M Nominal)
	IC / CMOS, ROM 1,200,001 - 2,400,000 Bits (2M Nominal)
	IC / CMOS, ROM 2,400,001 - 4,800,000 Bits (4M Nominal)
	IC / CMOS, ROM 4,800,001 - 9,600,000 Bits (8M Nominal)
	IC / CMOS, ROM 9,600,001 - 19,200,000 Bits (16M Nominal)
-----	<b>Integrated Circuits, Bipolar, Microprocessors</b>
	IC / Bipolar, Microprocessor 1 - 20 Gates (15 Nominal)
	IC / Bipolar, Microprocessor 21 - 50 Gates (40 Nominal)
	IC / Bipolar, Microprocessor 51 - 100 Gates (80 Nominal)
	IC / Bipolar, Microprocessor 101 - 500 Gates (400 Nominal)
	IC / Bipolar, Microprocessor 501 - 1,000 Gates (800 Nominal)
	IC / Bipolar, Microprocessor 1,001 - 2,000 Gates (1,600 Nominal)
	IC / Bipolar, Microprocessor 2,001 - 3,000 Gates (2,500 Nominal)
	IC / Bipolar, Microprocessor 3,001 - 5,000 Gates (4,000 Nominal)
	IC / Bipolar, Microprocessor 5,001 - 7,500 Gates (6,500 Nominal)
	IC / Bipolar, Microprocessor 7,501 - 10,000 Gates (9,000 Nominal)
	IC / Bipolar, Microprocessor 10,001 - 15,000 Gates (13,000 Nominal)

	IC / Bipolar, Microprocessor 15,001 - 20,000 Gates (18,000 Nominal)
	IC / Bipolar, Microprocessor 20,001 - 30,000 Gates (25,000 Nominal)
	IC / Bipolar, Microprocessor 30,001 - 50,000 Gates (40,000 Nominal)
-----	<b>Integrated Circuits, NMOS, Microprocessors</b>
	IC / NMOS, Microprocessor 1 - 20 Gates (15 Nominal)
	IC / NMOS, Microprocessor 21 - 50 Gates (40 Nominal)
	IC / NMOS, Microprocessor 51 - 100 Gates (80 Nominal)
	IC / NMOS, Microprocessor 101 - 500 Gates (400 Nominal)
	IC / NMOS, Microprocessor 501 - 1,000 Gates (800 Nominal)
	IC / NMOS, Microprocessor 1,001 - 2,000 Gates (1,600 Nominal)
	IC / NMOS, Microprocessor 2,001 - 3,000 Gates (2,500 Nominal)
	IC / NMOS, Microprocessor 3,001 - 5,000 Gates (4,000 Nominal)
	IC / NMOS, Microprocessor 5,001 - 7,500 Gates (6,500 Nominal)
	IC / NMOS, Microprocessor 7,501 - 10,000 Gates (9,000 Nominal)
	IC / NMOS, Microprocessor 10,001 - 15,000 Gates (13,000 Nominal)
	IC / NMOS, Microprocessor 15,001 - 20,000 Gates (18,000 Nominal)
	IC / NMOS, Microprocessor 20,001 - 30,000 Gates (25,000 Nominal)
	IC / NMOS, Microprocessor 30,001 - 50,000 Gates (40,000 Nominal)
-----	<b>Integrated Circuits, CMOS, Microprocessors</b>
	IC / CMOS, Microprocessor 8 Bits
	IC / CMOS, Microprocessor 16 Bits
	IC / CMOS, Microprocessor 32 Bits
-----	<b>Microwave Element Devices</b>
	Microwave Elements / Coaxial and Waveguide, Load
	Microwave Elements / Coaxial and Waveguide, Fixed Attenuator
	Microwave Elements / Coaxial and Waveguide, Variable Attenuator
	Microwave Elements / Fixed Elements, Directional Couplers
	Microwave Elements / Fixed Elements, Fixed Stubs
	Microwave Elements / Fixed Elements, Cavities
	Microwave Elements / Variable Elements, Tuned Stubs
	Microwave Elements / Variable Elements, Tuned Cavities
	Microwave Elements / Ferrite Devices (Transmit)
	Microwave Elements / Ferrite Devices (Receive)
	RF/Microwave Passives / Filter

	RF/Microwave Passives / Isolator
	RF/Microwave Passives / Splitter/Combiner
	RF/Microwave Passives / Synthesizer
-----	<b>Fiber Optic Communication Devices/Modules - Transmit/Receive Devices</b>
	Transmit/Receive Elements / Distributed Feedback (DFB) Laser
	Transmit/Receive Elements / Electro-Absorption Modular Laser, Uncooled
	Transmit/Receive Elements / Electro-Absorption Modular Laser, Cooled
	Transmit/Receive Elements / Continuous Wave (CW) Laser - IC
	Transmit/Receive Elements / Pump Laser <= 90 mW Output
	Transmit/Receive Elements / Pump Laser > 90 and <= 150 mW
	Transmit/Receive Elements / Pump Laser > 150 mW
	Transmit/Receive Elements / Laser Module - CW Laser, Controlled Environment
	Transmit/Receive Elements / Laser Module - CW Laser, Other Environments
	Transmit/Receive Elements / Fiber Optic LED Module, Controlled Environment
	Transmit/Receive Elements / Fiber Optic LED Module, Other Environments
	Transmit/Receive Elements / Fiber Optic Detector Module, Controlled Environment
	Transmit/Receive Elements / Fiber Optic Detector Module, Other Environments
	Transmit/Receive Elements / Receiver Module, PIN Diode
	Transmit/Receive Elements / Receiver Module, Avalanche Photo Detector
	Transmit/Receive Elements / Transceiver
-----	<b>Fiber Optic Communication Devices/Modules - Modulator - Lithium Niobate</b>
	Modulator - Lithium Niobate /
-----	<b>Fiber Optic Communication Devices/Modules - Amplifiers</b>
	Amplifiers / 8 and 16 Channels
	Amplifiers / 40 and 80 Channels
-----	<b>Fiber Optic Communication Devices/Modules - Transponders</b>
	Transponders / Cooled
	Transponders / Uncooled
-----	<b>Fiber Optic Communication Devices/Modules - Wavelength Split/Add/Drop</b>
	Wavelength Coupler/Splitter-Fused Fiber 1310/1550 NM / Controlled Environment
	Wavelength Coupler/Splitter-Fused Fiber 1310/1550 NM / Other Environments
	Dense Wavelength Division Multiplexer (DWDM) / Optical Add-Drop multiplexer (OADM), Thin Film, Controlled Environment
	Dense Wavelength Division Multiplexer (DWDM) / Optical Add-Drop multiplexer (OADM), Thin Film, Other Environments

	Dense Wavelength Division Multiplexer (DWDM) / Interleaver, Thin Film
	Dense Wavelength Division Multiplexer (DWDM) / Mux/Demux - AWG 8 Channel
	Dense Wavelength Division Multiplexer (DWDM) / Mux/Demux - AWG 16 Channel
	Dense Wavelength Division Multiplexer (DWDM) / Mux/Demux - AWG 20 Channel
	Dense Wavelength Division Multiplexer (DWDM) / Mux/Demux - AWG 40 Channel
	Dense Wavelength Division Multiplexer (DWDM) / Mux/Demux - AWG 40 Channel with on-chip VOA
-----	<b>Fiber Optic Communication Devices/Modules - Power Coupler/Divider (TAP)</b>
	Power Coupler/Divider (TAP) / 1 x 2
	Power Coupler/Divider (TAP) / 1 x 4
	Power Coupler/Divider (TAP) / 1 x 6
-----	<b>Fiber Optic Communication Devices/Modules - Optical Switches</b>
	Optical Switches / 1 x 2 or 2 x 1
	Optical Switches / 1 x 4 or 4 x 1
	Optical Switches / 1 x 8 or 8 x 1
-----	<b>Fiber Optic Communication Devices/Modules - Optical Isolator - Thin Film With Rotator Crystal</b>
	Optical Isolator / Thin Film With Rotator Crystal
-----	<b>Fiber Optic Communication Devices/Modules - Dispersion Compensating Module</b>
	Dispersion Compensating Module /
-----	<b>Fiber Optic Communication Devices/Modules - Optical Wavelength Locker</b>
	Optical Wavelength Locker /
-----	<b>Other Optical Devices</b>
	Other Optical Device / Single LED/LCD Segment
	Other Optical Device / Phototransistor
	Other Optical Device / Photodiode
-----	<b>Single Isolators</b>
	Single Isolator / Photodiode Detector
	Single Isolator / Phototransistor Detector
	Single Isolator / Light Sensitive Resistor
-----	<b>Dual Isolators</b>
	Dual Isolator / Photodiode Detector
	Dual Isolator / Phototransistor Detector
	Dual Isolator / Light Sensitive Resistor

-----	<b>Relays</b>
	Relay / General Purpose
	Relay / Contactor
	Relay / Latching
	Relay / Reed
	Relay / Thermal, Bimetal
	Relay / Mercury
	Relay / Solid State
-----	<b>Fixed Resistors</b>
	Resistor / Fixed, Composition $\leq 1$ M Ohm
	Resistor / Fixed, Composition $> 1$ M Ohm
	Resistor / Fixed, Film (Carbon, Oxide, Metal) $\leq 1$ M Ohm
	Resistor / Fixed, Film (Carbon, Oxide, Metal) $> 1$ M Ohm
	Resistor / Fixed, Film, Power ( $> 1$ Watt) $\leq 1$ M Ohm
	Resistor / Fixed, Film, Power ( $> 1$ Watt) $> 1$ M Ohm
	Resistor / Fixed, Wirewound, Accurate $\leq 1$ M Ohm
	Resistor / Fixed, Wirewound, Accurate $> 1$ M Ohm
	Resistor / Fixed, Wirewound, Power, Lead Mounted
	Resistor / Fixed, Wirewound, Power, Chassis Mounted
-----	<b>Variable Resistors</b>
	Resistor / Variable, Non-Wirewound, Film
	Resistor / Variable, Non-Wirewound, Low Precision, Carbon $\leq 200$ K Ohm
	Resistor / Variable, Non-Wirewound, Low Precision, Carbon $> 200$ K Ohm
	Resistor / Variable, Non-Wirewound, Precision $\leq 200$ K Ohm
	Resistor / Variable, Non-Wirewound, Precision $> 200$ K Ohm
	Resistor / Variable, Non-Wirewound, Trimmer $\leq 200$ K Ohm
	Resistor / Variable, Non-Wirewound, Trimmer $> 200$ K Ohm
	Resistor / Variable, Wirewound, High Power $\leq 5$ K Ohm
	Resistor / Variable, Wirewound, High Power $> 5$ K Ohm
	Resistor / Variable, Wirewound, Leadscrew
	Resistor / Variable, Wirewound, Precision $\leq 100$ K Ohm
	Resistor / Variable, Wirewound, Precision $> 100$ K Ohm
	Resistor / Variable, Wirewound, Semi-Precision $\leq 5$ K Ohm
	Resistor / Variable, Wirewound, Semi-Precision $> 5$ K Ohm

-----	<b>Network Resistors</b>
	Resistor Network / Discrete Elements
	Resistor Network / Thick Or Thin Film
-----	<b>Switches</b>
	Switch / Toggle or Pushbutton, 1 Contact Pair, e.g. SPST
	Switch / Toggle or Pushbutton, 2 Contact Pairs, e.g. SPDT
	Switch / Toggle or Pushbutton, 4 Contact Pairs, e.g. DPDT
	Switch / Toggle or Pushbutton, <= 8 Contact Pairs
	Switch / Toggle or Pushbutton, <= 20 Contact Pairs
	Switch / Toggle or Pushbutton, <= 50 Contact Pairs
	Switch / Rocker or Slide, 1 Contact Pair, e.g. SPST
	Switch / Rocker or Slide, 2 Contact Pairs, e.g. SPDT
	Switch / Rocker or Slide, 4 Contact Pairs, e.g. DPDT
	Switch / Rocker or Slide, <= 8 Contact Pairs
	Switch / Rocker or Slide, <= 20 Contact Pairs
	Switch / Rocker or Slide, <= 50 Contact Pairs
	Switch / Rotary, 1 Contact Pair, e.g. SPST
	Switch / Rotary, 2 Contact Pairs, e.g. SPDT
	Switch / Rotary, 4 Contact Pairs, e.g. DPDT
	Switch / Rotary, <= 8 Contact Pairs
	Switch / Rotary, <= 20 Contact Pairs
	Switch / Rotary, <= 50 Contact Pairs
-----	<b>Thermistor</b>
	Thermistor / Bead
	Thermistor / Disk
	Thermistor / Rod
	Thermistor / Polymetric Positive Temp. Coefficient (PPTC) Device
-----	<b>Transistors</b>
	Transistor / Silicon, NPN/PNP <= 0.6 Watts
	Transistor / Silicon, NPN/PNP > 0.6 and <= 6.0 Watts
	Transistor / Silicon, NPN/PNP > 6.0 Watts
	Transistor / Germanium, NPN <= 0.6 Watts
	Transistor / Germanium, NPN > 0.6 and <= 6.0 Watts
	Transistor / Germanium, NPN > 6.0 Watts

	Transistor / Germanium, PNP $\leq 0.6$ Watts
	Transistor / Germanium, PNP $> 0.6$ and $\leq 6.0$ Watts
	Transistor / Germanium, PNP $> 6.0$ Watts
	Transistor / Field Effect, Silicon Linear
	Transistor / Field Effect, Silicon Switch
	Transistor / Field Effect, Silicon High Frequency/RF
	Transistor / Field Effect, GaAs Low Noise ( $\leq 100$ mW)
	Transistor / Field Effect, GaAs Driver ( $\leq 100$ mW)
	Transistor / Unijunction
	Transistor / Microwave, Pulse Amplifier
	Transistor / Microwave, Continuous Wave
-----	<b>Rotating Devices</b>
	Rotating Device / Blower Motor
	Rotating Device / Fan Motor $< 1/3$ HP
-----	<b>Miscellaneous Devices</b>
	Gyroscope /
	Vibrator / 60 Hertz
	Vibrator / 120 Hertz
	Vibrator / 400 Hertz
	Ceramic Resonator /
	Quartz Crystal /
	Crystal Oscillator / Quartz Controlled
	Crystal Oscillator / Voltage Controlled
	Crystal Oscillator / Oven Controlled
	Circuit Breaker / Protection-Only Application (per pole)
	Circuit Breaker / Power On/Off Application (per pole)
	Fuse / $\leq 30$ Amps.
	Fuse / $> 30$ Amps.
	Lamp / Neon
	Lamp / Incandescent, 5 V DC
	Lamp / Incandescent, 12 V DC
	Lamp / Incandescent, 48 V DC
	Meter /
	Thermo-Electric Cooler ( $< 2$ Watts) /





**Environments:**

GB = Ground, Fixed, Controlled

GF = Ground, Fixed, Uncontrolled

GM = Ground, Mobile (both vehicular mounted and portable)

AC = Airborne, Commercial

SC = Spacebased, Commercial

Probabilistic Software, Inc. (PSI) - PSI Building Suite 101 - 4536 Indianola Way - La Canada Flintridge, CA 91011 - Telephone: (818) 790-6412 - e-mail: [PSIREL1@aol.com](mailto:PSIREL1@aol.com) - URL: <http://www.e-MTBF.com> - Copyright © 2008 Probabilistic Software, Inc. All rights reserved.